



SMART life

RFID related door lock
solution

Technology make life
better



HOTEL



RENTAL HOUSE



SCHOOL



HOME




GYM

Contents

- RFID hotel lock
- Password door lock
- Fingerprint door lock
- Bluetooth door lock
- Electronic locker lock
- Glass door lock
- Digital room number plate
- Energy saver switch
- Mortise



Hotel Lock System



Software Introduction



encoder

used to program card
with USB port to connect with PC
free lock management software
offer sdk to compatible with other software

hand unit


with USB port to download software from PC
set room number, set clock of lock
program card, check card information
download unlock record from lock



card

normally type, keyfob, wristband for option
used to program lock, unlock the door
temic or ID or mifare chip for option
same card can be used on power saver switch

ITEM	QTY	DESCRIPTION
lock	1	one lock for one room
encoder	2	one for use, one for spare, one encoder can program all lock
hand-hand unit	1	one piece manage all lock
card	3	3 to 5 pcs for one room, some for customer, some for staff



function of the card you can issued from software

- 1, Authorization card: used to program lock, clear lock data
- 2, Guest card: used to unlock the door for customer, you can set valid time for the card such as one day, two days etc.
- 3, Floor card: card for staff, hold this card can unlock all door of corresponding floor
- 4, Group card: you can set several different lock to be one group, then a group card can unlock all lock belong to this group
- 5, Record card: used to lead the unlock record from lock
- 6, Lost card: if the customer lost his card, but this card is still in valid time, you can issue a lost card and swipe on that door, the lost card will be invalid
- 7, Terminate card: swipe this card on the lock, all the guest card belong to this lock will be invalid
- 8, Building card: card for staff, this card can be used to unlock the corresponding building, such as if you have 3 building for one hotel
- 9, Master card: card for staff, this card can unlock all the lock belong to this system

More fuctions please find from software

RFID HOTEL LOCK

YFH-100
stainless steel

stainless steel



emergency


-



YFH-100-RED BRONZE

Black color for action

RFID HOTEL LOCK



backup key



rfid card



management



alarm



emergency

* Material: stainless steel

* Dimension: L310*W77*T30MM

* Mortise: 2#S, Option: 1#S, 5#, 3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-102-SILVER



YFH-102-GOLD



YFH-102-GOLD+BLACK



YFH-102-BRONZE



YFH-102-RED BRONZE




YFH-102-BLACK

RFID HOTEL LOCK



YFH-101

stainless steel



backup key



rfid card



management



alarm



emergency

* Material: stainless steel

* Dimension: L242*W77*T25MM

* Mortise: 2#S, Option: 1#S, 5#, 3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-101-SILVER



YFH-101-GOLD



YFH-101-BRONZE




YFH-101-RED BRONZE

RFID HOTEL LOCK

YFH-103

stainless steel



backup key



rfid card



management



salarm



emergency

* Material: stainless steel

* Dimension: L285*W77*T32.5MM

* Morrise: 2#S, Option:1#S,5#,3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mitare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-103-SILVER



YFH-103-SILVER+BLACK



YFH-103-GOLD




YFH-103- RED BRONZE



YFH-103-BLACK

edwintecq. xtwed



* Material: stainless steel



* Dimension: L285*W77*T32.5MM



* Morrise: 2#S, Option:1#S,5#,3#



* False lock alarm: Yes.



* Low voltage alarm: $<3.8V$

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



VEH105.SILVER



YFH-105-GOLD




YFH-105- RDD BRONZE



YFH-105-BLACK


RFID HOTEL LOCK



- * Material: stainless steel
- * Dimension: L286*W77*T31MM
- * Mortise: 2#S, Option: 1#S, 5#S, 3#S
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



RFID HOTEL LOCK



- * Material: stainless steel
- * Dimension: L280*W73*T35MM
- * Mortise: 2#S, Option: 1#S, 5#, 3#
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)




YFH-210-SILVER



YFH-210-GOLD

stainless steel



emergency

- * Material: stainless steel
- * Dimension: 1285*W77*T30MM
- * Mortise: 2#S, Option: 1#S, 5#S, 3#
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)



YFH-216-SILVER



YFH-216-SILVER+826HANDLE



YFH_216_GOLD



YEH-216-RED BRONZE



YFH-216-RED BRONZE


826 HANDLE

RFID HOTEL LOCK



YFH-300

zinc alloy



2RL



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: L285*W73*T16MM

* Mortise: 2RL, Option: 1RL

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-300-SILVER



YFH-300-GOLD



YFH-300-Phnom Penh nickel



YFH-300-BRONZE



YFH-300-RED BRONZE




REAR VIEW

RFID HOTEL LOCK



YFH-302

stainless steel



28L



backup key



rfid card



management



alarm



emergency

* Material: stainless steel

* Dimension: L286*W73*T16MM

* Mortise: 28L, Option: 18L, 5F

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-302-SILVER



YFH-302-GOLD




REAR VIEW

RFID HOTEL LOCK



YFH-601

stainless steel



24L



backup key



rfid card



management



alarm



emergency

* Material: stainless steel

* Dimension: L272*W72*T12MM

* Mortise: 2RL, Option: 1RL, 5F

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-601-SILVER



YFH-601-GOLD



YFH-600-GOLD




REAR VIEW

RFID HOTEL LOCK



YFH-603
zinc alloy



backup key rfid card management alarm emergency

- * Material: zinc alloy
- * Dimension: 1,248*W55*MM
- * Mortise: euro mortise, 72mm
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AAA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)



YFH-603-SILVER



YFH-603-GOLD




YFH-603-BRONZE



YFH-603-RED BRONZE

RFID HOTEL LOCK



backup key rfid card management alarm emergency

- * Material: stainless steel
- * Dimension: L285*W75*T20MM
- * Mortise: 2#S, Option: 1#S, 5#, 3#
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)



YFH-622-SILVER



YFH-622-ROSE GOLD



YFH-621-GOLD




REAR VIEW

RFID HOTEL LOCK



YFH-701

zinc alloy



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: 1285*W74*T15MM

* Mortise: 2#L, Option: 1#L

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 38-80MM(use different mortise)



YFH-701-SILVER



YFH-701-GOLD



YFH-701-RED BRONZE

A white wooden cabinet with multiple drawers and a small decorative object on top. The cabinet has a classic design with a flat top and a series of drawers. On top of the cabinet, there is a small decorative object that looks like a small statue or a piece of art. The background is a plain, light-colored wall.




emergency

- YFH-2021-SILVER



RFID HOTEL LOCK



backup key rfid card management alarm emergency

* Material: zinc alloy

* Dimension: L290*W70MM

* Morrise: 24S, Option:14S

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)




RFID HOTEL LOCK



YFH-618E

zinc alloy



2#S



backup key

rfid card

management

alarm

emergency

* Material: zinc alloy

* Dimension: L281*W73MM

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-618E-SILVER



YFH-618E-GOLD



YFH-2018E-SILVER

300*75MM&SS material




YFH-2018E

Rear View



YFH-710
zinc alloy



backup key



rfid card



management



salutem



emergency

- * Material: zinc alloy
- * Mortise: 2WS, Option:1WS,3#
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic,Mifare,ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFH-710-SILVER
285*75*23MM



YFH-710-GOLD
285*75*23MM



YFH-711-SILVER
285*75*18MM



YFH-711-GOLD
285*75*18MM




YFH-711-REAR VIEW

RFID HOTEL LOCK



YFH-712
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM (use different mortise)



YFH-712-SILVER
300*77*28MM



YFH-712-GOLD
300*77*28MM



YFH-712-REAR VIEW



YFH-718-SILVER
287*78*16MM



YFH-718-GOLD
287*78*16MM




YFH-718-REAR VIEW

RFID HOTEL LOCK



YFH-719
zinc alloy



backup key rfid card management alarm emergency

* Material: zinc alloy

* Dimension : 325*75*23MM

* Mortise: 2#S, Option:1#S,3# , 5#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-719-SILVER



YFH-719-GOLD



YFH-719-BRONZE



YFH-719-RED BRONZE




YFH-719-ROSE GOLD

RFID HOTEL LOCK



YFHF-710
zinc alloy



backup key



rfid card



management



alarm



emergency



YFHF-710-SILVER



YFHF-710-GOLD



YFHF-710-BRONZE



YFHF-710-RED BRONZE



YFHF-710-REAR VIEW

* Material: zinc alloy

* Dimension : 198*68*29MM

* Mortise: 5#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly


* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)

RFID HOTEL LOCK



1012E
zinc alloy



2#S



backup key rfid card management alarm emergency

* Material: zinc alloy

* Dimension : 77*MM

* Mortise: 2#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 38-80MM(use different mortise)



1012E-SILVER



1012E-GOLD




1012E-REAR VIEW

RFID HOTEL LOCK



YFH-760
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 2#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 38-80MM(use different mortise)



YFH-760-SILVER



YFH-760-SILVER-ROUND



YFH-760-GOLD



YFH-760-BRONZE



YFH-760-RED BRONZE




YFH-760-BLACK

RFID HOTEL LOCK



YFH-780
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 2#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 38-80MM(use different mortise)



YFH-780-SILVER



YFH-780-SILVER-ROUND



YFH-780-BRnze



YFH-780-RED BRnze



REAR VIEW



YFH-780-BLACK





emergency


* Suitable door thickness: 30-80MM (use different mortise)



RFID HOTEL LOCK



YFH-820
zinc alloy



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension : 288*82*33.5M

* Mortise: 2#S, Option:1#S,3#S,5#S

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic,Mifare,ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-820-SILVER



YFH-820-GOLD



YFH-820-ROSE GOLD



YFH-820-BRONZE



YFH-820-RED BRONZE




YFH-820-BLACK

With rubber gasket

RFID HOTEL LOCK



YFH-825
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: 298*75*11MM

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 38-80MM(use different mortise)



YFH-825-SILVER



YFH-825-GOLD



YFH-825-BRONZE

Ultra-thin panel




YFH-825-RED BRONZE



YFH-825-BLACK



zinc alloy



backup key



rfid card



management



salarm



emergency

- * Material: zinc alloy
- * Dimension: 298*70*20MM
- * Mortise: 2#S, Option: 1#S, 3# , 5#
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFH-826-SILVER



YFH-826-GOLD



YFH-B26-BLACK



YFH-828-RED BRONZE



YFH-826-BRONZE




YFH-828-ROSE GOLD

RFID HOTEL LOCK



YFH-828

zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: 298*70*20MM

* Mortise: 2#S, Option: 1#S, 3# , 5#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-828-SILVER



YFH-828-GOLD



YFH-828-BLACK



YFH-828-RED BRONZE



YFH-828-BRONZE




YFH-828-ROSE GOLD

RFID HOTEL LOCK



YFH-827
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: 298*70*20MM

* Mortise: 2#S, Option: 1#S, 3# , 5#

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-827-SILVER



YFH-827-GOLD



YFH-827-BRONZE



YFH-827-RED BRONZE




YFH-827-BLACK

RFID HOTEL LOCK



YFH-822
zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 2#S, Option: 1#S, 3#S, 5#S

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM (use different mortise)



YFH-822-GOLD
288*82*38MM



YFH-821-SILVER
288*82*33.5MM



YFH-821-GOLD
288*82*33.5MM



YFH-821-RED BRONZE
288*82*33.5MM



YFH-830-SILVER
296*78*26MM



YFH-830-GOLD
296*78*26MM

With rubber gasket

A modern bedroom interior featuring a large window with blue curtains, a yellow armchair, a tall black lamp, and a colorful patterned rug.



replace ball lock
directly



emergency

- * Material: zinc alloy

* Dimension: L168*W68*T25MM

* Mortise: single latch, anti-pick mortise

* False lock alarm: Yes

* Low voltage alarm: $<3.8V$

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



You can use the mortise at door current, no need change morisse



YFH-818-SILVER



YFH-818-GOLD



YFH-818-BRONZE



YFH-818-RED BRONZE


Easier handle direction exchange design.

RFID HOTEL LOCK



YFH-918
zinc alloy

replace ball lock
directly



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Dimension: 315*51*22.5mm

* Mortise: single latch, anti-pick mortise, B535 mortise

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-918-SILVER



YFH-918-RED BRONZE



YFH-918-BLACK


You can use the mortise at door current,
no need change mortise

suitable for many types of mortise:
8635.8540.6085.7245etc.

RFID HOTEL LOCK



YFH-802
zinc alloy



- * Material: zinc alloy
- * Dimension: L300*W48MM
- * Mortise: euro mortise, 72mm
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AAA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)



YFH-802-SILVER




YFH-802-RED BRONZE



RFID HOTEL LOCK

YFH-908

stainless steel



2#S



* Material: stainless steel

* Dimension: L306*W75*T12MM

* Mortise: 2#S, Option: 1#S, 5#S, 3#S

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-908-SILVER



YFH-908-BLACK



YFH-908-RDD BRONZE

RFID HOTEL LOCK

YFH-J02

aluminum



backup key



rfid card



management



alarm



emergency

* Material: aluminum

* Dimension: 300*75MM

* Mortise: 2#S, Option: 1#S, 3#,

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID


* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-J02-SILVER



YFH-J02-RED BRONZE



YFH-J02-BLACK



RFID HOTEL LOCK

YFH-J01

aluminum



backup key



rfid card



management



alarm



emergency

* Material: aluminum

* Dimension: 300*75MM

* Mortise: 2#S, Option: 1#S, 3#,

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID


* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-J01-SILVER



YFH-J01-ROSE RED



YFH-J01-BLACK




YFH-J01-GOLD

RFID HOTEL LOCK

YFH-J03

aluminum



backup key



rfid card



management



alarm



emergency

* Material: aluminum

* Dimension: 300*75MM

* Mortise: 2#S, Option: 1#S, 3#,

* False lock alarm: Yes

* Low voltage alarm: <3.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Temic, Mifare, ID

* Back up key: 2pcs per set

* All lock with same master key function option: Yes

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFH-J03-SILVER



YFH-J03-GOLD




YFH-J03-BLACK



RFID HOTEL LOCK



YFH-J04
aluminum



backup key rfid card management alarm emergency

- * Material: aluminum
- * Dimension: 300*75MM
- * Mortise: 2#S, Option: 1#S, 3#,
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFH-J04-SILVER



YFH-J04-GOLD




YFH-J05-BLACK



RFID HOTEL LOCK



YFH-J05
aluminum



backup key rfid card management alarm emergency

- * Material: aluminum
- * Dimension: 300*75MM
- * Mortise: 2#S, Option: 1#S, 3#S
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic, Mifare, ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)



YFH-J05-BLACK



YFH-J05-GOLD



YFH-J05-SILVER


RFID HOTEL LOCK

AM WEGESRAND

YFH-J06

aluminum

aluminum



YFH-J06-SILVER



YFH-J06-GOLD



YFH-J06-BLACK



- * Material: aluminum
- * Dimension: 300*75MM
- * Mortise: 2#S, Option:1#S,3#,
- * False lock alarm: Yes
- * Low voltage alarm: <3.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Available card: Temic,Mifare,ID
- * Back up key: 2pcs per set
- * All lock with same master key function option: Yes
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



password

-
- You can use the mortise at door current, no need change mortise



YFP-818-GOLD



YFH-818-REAR VIEW




PASSWORD DOOR LOCK



YFP-1068

zinc alloy



2#S



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* Password capacity: 1 manage password, 50pcs guest password

* Card capacity: max 2 manage card, 200pcs guest card

* Capacitive touch screen



YFP-1068-CHROME

280*75*22MM



YFP-1068-GOLD

280*75*22MM



YFP-1078-SILVER



YFP-1078-GOLD



YFP-1028-SILVER




YFP-1028-
BRONZE



YFP-1028-
RED BRONZE

PASWORD DOOR LOCK



backup key



rfd card



management



alarm



emergency

* Material: stainless steel

* Mortise: 2/S, Option: 1/S, 3/S

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* Password capacity: 1 manage password, 50pcs guest password

* Card capacity: max 2 manage card, 200pcs guest card

* Capacitive touch screen



YFP-810-SILVER

310*77*30MM



YFP-810-GOLD

310*77*30MM



YFP-810-RED BRONZE

310*77*30MM



YFP-218-SILVER

288*78*30MM

ID TYPE




YFP-218-RED BRONZE

288*78*30MM

FINGERPRINT DOOR LOCK



YFF-2017
zinc alloy



backup key



rfid card



management



alarm



emergency

* Material: stainless steel

* Mortise: 6068

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* Password capacity: 100pcs

* Card capacity: 100pcs

* Fingerprint capacity: 100pcs



YFF-2017-SILVER



YFF-2017-RED BRONZE



YFF-2017-BLACK

No.	Item	Technical parameter
1	Material	Stainless steel
2	Mounting hole	60mm
3	Mounting hole	60mm
4	Mounting hole	60mm
5	Mounting hole	60mm
6	Mounting hole	60mm
7	Mounting hole	60mm
8	Mounting hole	60mm
9	Mounting hole	60mm
10	Mounting hole	60mm
11	Mounting hole	60mm
12	Mounting hole	60mm
13	Mounting hole	60mm
14	Mounting hole	60mm
15	Mounting hole	60mm
16	Mounting hole	60mm
17	Mounting hole	60mm
18	Mounting hole	60mm
19	Mounting hole	60mm
20	Mounting hole	60mm
21	Mounting hole	60mm
22	Mounting hole	60mm
23	Mounting hole	60mm
24	Mounting hole	60mm
25	Mounting hole	60mm
26	Mounting hole	60mm
27	Mounting hole	60mm
28	Mounting hole	60mm
29	Mounting hole	60mm
30	Mounting hole	60mm
31	Mounting hole	60mm
32	Mounting hole	60mm
33	Mounting hole	60mm
34	Mounting hole	60mm
35	Mounting hole	60mm
36	Mounting hole	60mm
37	Mounting hole	60mm
38	Mounting hole	60mm
39	Mounting hole	60mm
40	Mounting hole	60mm
41	Mounting hole	60mm
42	Mounting hole	60mm
43	Mounting hole	60mm
44	Mounting hole	60mm
45	Mounting hole	60mm
46	Mounting hole	60mm
47	Mounting hole	60mm
48	Mounting hole	60mm
49	Mounting hole	60mm
50	Mounting hole	60mm

15	Fingerprint collector	Hard glass, semiconductor surface treatment
16	Power Consumption	< 30mA
17	Alarm Power Consumption	The working current is under 200mA
18	Control system	Overseas dual circuit and individual control
19	The fingerprint battery life	Open door for 1000 times
20	The combination battery life	Open door for 1000 times
21	Working voltage	DC 3.3V
22	Power supply mode	Directly powered
23	Combination capacity	100 groups
24	Working power	DC 3.3V
25	Low voltage alarm	4.8V
26	Automatic delay	Common discharge 10V, air discharge 10V
27	Working temperature	-10°C to 55°C
28	Working humidity	85% to 95%
29	Storage temperature	-10°C to 55°C
30	Combination design	Random combination
31	Combination length	6-digit numbers
32	Door open method	Left open, right open
33	Door open speed	100 times

FIGERPRINT DOOR LOCK

YFF-R10

zinc alloy

**AUTOMATIC
SMART LOCK**



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs / per set

* Emergency: Yes, press indoor handle unlock dead bolt directly


* Suitable door thickness: 38-80MM

* User capacity: 300pcs in total

* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English

* Pix: 500DPI



Unlock key type	Qty	Number	Remarks
Administrator	1	100	Administrator card, fingerprint card, and password
User	299	100-399	User card, fingerprint card, and password

Power supply	7.4V lithium battery
Static current	<85uA
Fingerprint Qty	<100 group (2 group administrators, 291 group of users)
Card Qty	<100 group (2 group administrators, 291 group of users)
Password Qty	<100 group (2 group administrators, 291 group of users)
Reaction	<100ms
Repeal rate	<10%
False rate	<0.0001%
Operating	-30°C ~ 60°C
Relative humidity	20% ~ 90%


FIGERPRINT DOOR LOCK



YFF-Z02

zinc alloy

**AUTOMATIC
SMART LOCK**



backup key



rfd card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* User capacity: 300pcs in total

* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English

* Pix: 500DPI



FINGERPRINT+CARD
+PASSWORD+KEY

BUILT-IN PEEPHOLE




VOICE PROMPT
BUILT-IN DOORBELL
AUTOMATIC UNLOCK

FINGERPRINT DOOR LOCK



YFF-Z01
zinc alloy



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* User capacity: 300pcs in total

* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English



A modern interior scene featuring a white sofa with a black and white patterned cushion, a tall potted plant, and a dark blue wall.



WATERPROOF PANEL



emergency

- [illegible]




YFF-FDQ-RED BRONZE



FINGERPRINT DOOR LOCK



YFF-ODS
aluminum alloy



for sliding door

for swing door



backup key

rfid card

management

alarm

emergency

* Material: aluminum alloy

* Mortise: 8535,8545etc.

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AAA alkaline battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 32-80MM

*Color: silver, red bronze, black

*Application: Aluminum door, wood door


*Suitable door: Swing door or sliding door



without handle

with handle

FIGERPRINT DOOR LOCK



backup key



rfd card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English

*Unlock: fingerprint+password+card+key



YFF-M7 ROSE GOLD




YFF-M7 BLACK

FIGERPRINT DOOR LOCK



YFF-ZJ01
zinc alloy



backup key



rfd card



management



alarm



emergency

* Material: zinc alloy

* Mortise: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM



* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English

* Unlock: fingerprint+password+card+key



FIGERPRINT DOOR LOCK



- * Material: zinc alloy
- * Mortise: 6068
- * False lock alarm: Yes
- * Power: 7.4V lithium battery
- * Reading distance: <3CM
- * Available card: Mifare
- * Back up key: 2pcs per set
- * Emergency: Yes, press indoor handle unlock dead bolt directly
- * Suitable door thickness: 38-80MM
- * Fingerprint reader: semiconductor
- * Voice prompt: Chinese and English
- * Unlock: fingerprint+password+card+key




YFF-V02



YFF-V01

FIGERPRINT DOOR LOCK



backup key



rfid card



management



alarm



emergency

* Material: zinc alloy

* Model: 6068

* False lock alarm: Yes

* Power: 7.4V lithium battery

* Reading distance: <3CM

* Available card: Mifare

* Back up key: 2pcs per set

* Emergency: Yes, press indoor handle unlock dead bolt directly

* Suitable door thickness: 38-80MM

* Fingerprint reader: semiconductor

* Voice prompt: Chinese and English

* Unlock: fingerprint+password+card+key



YFF-A8

YFF-A1

Bluetooth door lock introduction ♦ TTlock

Search **TTlock** from Apple store or Google play | **SDK available**

Read Operation Record Remotely

Record of fingerprint, password, card will be get by gateway box in real time and upload to cloud server, you can check unlock record remotely



Mobile APP dynamic password

Share dynamic password via mobile APP
password will be invalid after setted time



Bluetooth unlock&APP unlock

customer download TTlock APP to receive e-key and unlock door by bluetooth
Administrator can set valid time for e-key such as cyclic, one-time, 1 days, several hours

Password unlock

customer don't need to download APP, Administrator send password via MSG, email, skype, etc. to customer, you can set valid time for e-key such as cyclic, one-time, 1 days, several hours

Fingerprint unlock


need add fingerprint on lock first time, after that you can modify valid time for fingerprint, delete fingerprint etc. Max support 300pcs using at the same time

Card unlock

need add card on lock first time, after that you can modify valid time for card, delete it or authorized it to others etc. Max support 100pcs card

Remote unlock

to use this function, you need to buy a gateway we offered. You can unlock the door remotely by wifi. And issue card from PC



Transfer lock available
Unlock record recorded
Re-authorized available
One to many lock control

BLUETOOTH DOOR LOCK



YFB-818
zinc alloy

replace ball lock
directly



backup key



rfd card



password



wifi



APP

* Material: zinc alloy

* Dimension: L168*W88*T25MM

* Mortise: single latch, anti-pick mortise

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery


* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFB-818-SILVER



YFB-818-GOLD



YFB-818-BRONZE



YFB-818-RED BRONZE

Easier handle direction exchange design.

BLUETOOTH DOOR LOCK

YFB-110

zinc alloy

replace ball lock
directly



Unlock via APP



Unlock via PIN Code



Unlock via Mechanical Key



You can use the mortise at door current, no need change mortise



backup key



password



wifi



APP

* Material: zinc alloy

* Dimension: L117*W80MM

* Mortise: single latch, anti-pick mortise

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Password, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes


* Suitable door thickness: 38-48MM(use different mortise)

* Static current: <30uA

* Working humidity: 20%~80%RH



BLUETOOTH DOOR LOCK



You can use the mortise at door current, no need change mortise



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Dimension: L154*W88MM
- * Mortise: single latch
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi
- * Backup key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 31-55MM
- * Static current: <30uA
- * Working current: <200uA



YFB-210-SILVER



YFB-210-BLACK

Easier handle direction exchange design.

BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

* Material: stainless steel

* Dimension: L310*W77*T30MM

* Mortise: 2#S, Option: 1#S, 3#, 5#

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery


* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFB-100-SILVER



YFB-100-BRONZE




YFB-100-RED BRONZE



BLUETOOTH DOOR LOCK



YFB-760
zinc alloy



24S



backup key



rfid card



password



wifi



APP

* Material: zinc alloy

* Mortise: 24S, Option: 14S, 34,

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 35-80MM (use different mortise)



YFB-760-SILVER




YFB-760-RED BRONZE



YFB-760-BLACK

BLUETOOTH DOOR LOCK



backup key

rfid card

password

with

APP

* Material: stainless steel

* Dimension: L306*W75*T12MM

* Morrise: 2#S, Option: 1#S, 3#, 5#

* False lock alarm: Yes

* Low voltage alarm: $<4.8\text{V}$

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi


* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Dimension: L295*W70*T20MM
- * Mortise: 2#S, Option: 1#S, 3#S, 5#S
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi
- * Backup key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFB-827-SILVER



YFB-827-GOLD



YFB-827-RED BRONZE




YFB-827-BLACK

BLUETOOTH DOOR LOCK



YFB-719
zinc alloy



2#S



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Dimension: L325*W75*T23MM
- * Mortise: 2#S, Option: 1#S, 3#S, 5#
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi
- * Back up key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFB-719-SILVER



YFB-719-GOLD



YFB-719-BLACK



G2 GATEWAY

with this you can control lock with wifi
remotely lock control
got unlock record any time

BLUETOOTH DOOR LOCK



YFB-2025
zinc alloy



backup key



rfid card



password



wifi



APP

* Material: zinc alloy

* Dimension: L290*W70*T12MM

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery


* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFB-R818-GREY

290*70MM



YFB-R818-RED BRONZE

290*70MM



YFB-R918-SILVER

280*75MM



YFB-R918-GOLD

280*75MM



YFB-1078-SILVER

300*75MM



YFB-1078-GOLD

300*75MM



YFB-1068-SILVER

275*75MM




YFB-1068-SILVER

275*75MM

BLUETOOTH DOOR LOCK



YFB-618
zinc alloy



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Dimension: L281*W73MM
- * Mortise: 24S, Option: 14S, 34S
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi
- * Back up key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)



YFB-618-GOLD
281*73MM



YFB-618-SILVER
281*73MM



YFB-F03-SILVER
290*70MM



YFB-2020-SILVER
306*75MM*SS material



YFB-2020-RED BRONZE
306*75MM*SS material



YFB-2020-BLACK
306*75MM*SS material

BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

* Material: zinc alloy

* Dimension: L315*W51*T22.5MM

* Mortise: 8535, Option: anti-pick

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AAA alkaline battery

* Reading distance: <3CM


* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM (use different mortise)

* Suitable for framed glass door



YFB-918-SILVER

YFB-918-RED BRONZE

YFB-918-BLACK

you can use any mortise of your door
to need change mortise.




anti-pick mortise



8535 mortise for swing door

8535 mortise for sliding door

BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

* Material: aluminum

* Dimension: L300*W75MM

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFB-J03-SILVER



YFB-J03-GOLD



YFB-J03-BLACK



YFB-J05-SILVER



YFB-J05-GOLD




YFB-J05-BLACK

BLUETOOTH DOOR LOCK



YFB-J02



2#S



backup key



rfid card



password



wifi



APP

* Material: aluminum

* Dimension: L300*W75MM

* Mortise: 2#S, Option: 1#S, 3#

* False lock alarm: Yes

* Low voltage alarm: <4.8V

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 30-80MM(use different mortise)



YFB-J02-SILVER



YFB-J02-GOLD



YFB-J02-BLACK



YFB-J06-SILVER




YFB-J06-GOLD



YFB-J06-BLACK

BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

- * Material: stainless steel
- * Dimension: L310*W77*T30MM
- * Mortise: 2#S, Option: 1#S, 3#S, 5#
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi, fingerprint
- * Back up key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)
- * Card capacity: 100pcs at the same time
- * Fingerprint capacity: 300pcs at the same time



YFBF-100-SILVER



YFBF-100-BRONZE




YFBF-100-RED BRONZE



YFBF-100-BLACK

BLUETOOTH DOOR LOCK



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Mortise: 6068
- * Low voltage alarm: <4.8V
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi, fingerprint
- * Back up key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM(use different mortise)
- * Card capacity: 100pcs at the same time
- * Fingerprint capacity: 300pcs at the same time
- * With USB charge port to unlock



BLUETOOTH DOOR LOCK



YBF-918
fingerprint



backup key



rfd card



password




wifi



APP

- * Material: zinc alloy
- * Dimension: L315*W51*T22.5MM
- * Mortise: 8535, Option: anti-pick
- * False lock alarm: Yes
- * Low voltage alarm: <4.8V
- * Power: 4 AAA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi, fingerprint
- * Backup key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 30-80MM (use different mortise)
- * Suitable for framed glass door
- * Card capacity: 100pcs at the same time
- * Fingerprint capacity: 300pcs at the same time



YBF-918-SILVER YBF-918-RED BRONZE YBF-918-BLACK

anti-pick mortise



8535 mortise for swing door

8535 mortise for sliding door

BLUETOOTH DOOR LOCK



YFBF-919
zinc alloy
fingerprint



backup key



rfid card



password



wifi



APP

* Material: zinc alloy

* Dimension: L178*W63*MM

* Mortise: single latch

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card, APP, key, wifi, fingerprint

* Back up key: 2pcs per set


* Unlock record: Yes

* Suitable door thickness: 30-80MM (use different mortise)

* Suitable for framed glass door

* Card capacity: 100pcs at the same time

* Fingerprint capacity: 300pcs at the same time




Search **TTlock** from Googleplay
or from Apple store to download
APP

Install the lock on the door

Installation steps


- Step 1: Install the lock on the door.
- Step 2: Prepare the lock and install it on the door.
- Step 3: Prepare the lock and install it on the door.
- Step 4: Prepare the lock and install it on the door.
- Step 5: Prepare the lock and install it on the door.



BLUETOOTH DOOR LOCK



YFBF-210
zinc alloy
fingerprint



backup key



rfd card



password



wifi



APP

* Material: zinc alloy

* Dimension: L154*W68MM

* Mortise: single latch

* Power: 4 AA alkaline battery

* Reading distance: <3CM

* Unlock: Mifare card,APP,key,wifi,fingerprint

* Back up key: 2pcs per set

* Unlock record: Yes

* Suitable door thickness: 31-55MM


* unlock: fingerprint+password+card+key+APP

* Card capacity: 200pcs at the same time

* Fingerprint capacity: 100pcs as the same time

* Fixed password: 150pcs at the same time

ASSEMBLY INSTRUCTIONS




BLUETOOTH DOOR LOCK

Powerful Lock

Stainless steel deadbolt enhance security by preventing forceful entry.



YF350
zinc alloy
fingerprint



backup key



rfid card



password



wifi



APP

- * Material: zinc alloy
- * Dimension: L154*W68MM
- * Mortise: single latch
- * Power: 4 AA alkaline battery
- * Reading distance: <3CM
- * Unlock: Mifare card, APP, key, wifi, fingerprint
- * Back up key: 2pcs per set
- * Unlock record: Yes
- * Suitable door thickness: 31-55MM
- * unlock: fingerprint+password+card+key+APP
- * Card capacity: 200pcs at the same time
- * Fingerprint capacity: 100pcs at the same time
- * Fixed password: 150pcs at the same time



RFID LOCKER LOCK




- * Default EM card, ID, MIFARE, TEMIC card can be customized, software type available
- * Anti-pick alarm
- * External power connector
- * Card capacity: 15pcs
- * Low voltage alarm: <4.5V
- * Power: 4 AA alkaline battery, AC type can be customized
- * Reading distance: <3CM
- * Automatic bounce function, no need install handle
- * Waterproof card
- * Single card unlock or dual card unlock mode optional
- * Password type support public mode: swipe to close, swipe again to unlock



external power
box

all lock have
external power
connector



card option

RFID LOCKER LOCK

 EM-S plastic diameter:45mm	 EM-G plastic diameter:45mm	 EM-103S plastic 108*63mm	 EM-103G plastic 108*63mm	 EM-101S plastic 81.6*60mm
 EM-101G plastic 81.6*60mm	 EM-102S plastic 95.6*53.7mm	 EM-102G plastic 95.6*53.7mm	 EM-105S zinc alloy 85.5*55.5mm	 EM-105G zinc alloy 85.5*55.5mm
 EM-105B zinc alloy 85.5*55.5mm	 EM-105RB zinc alloy 85.5*55.5mm	 EM-106S zinc alloy 73*43mm	 EM-106G zinc alloy 73*43mm	 EM-106B zinc alloy 73*43mm
 EM-106RB zinc alloy 73*43mm	 EM-108S zinc alloy 104*50mm	 EM-108G zinc alloy 104*50mm	 EM-108B zinc alloy 104*50mm	 EM-108RB zinc alloy 104*50mm

RFID LOCKER LOCK

 EM-109S zinc alloy 100*50mm	 EM-109G zinc alloy 100*50mm	 EM-109B zinc alloy 100*50mm	 EM-109RB zinc alloy 100*50mm	 EM-110S zinc alloy 110*36.5mm
 EM-110G zinc alloy 110*36.5mm	 EM-110RB zinc alloy 110*36.5mm	 EM-110B zinc alloy 110*36.5mm	 EM-110RG zinc alloy 110*36.5mm	 EM-110S stainless steel 110*36.5mm
 EM-110G stainless steel 110*36.5mm	 EM-110B stainless steel 110*36.5mm	 EM-112S stainless steel 88.2*72.2mm	 EM-112G stainless steel 88.2*72.2mm	 EM-115G zinc alloy diameter:40mm
 EM-115S zinc alloy diameter:40mm	 EM-115B zinc alloy diameter:40mm	 EM-115RB zinc alloy diameter:40mm	 EM-117S zinc alloy 44*31mm	 EM-117G zinc alloy 44*31mm

RFID LOCKER LOCK

 EM-118S zinc alloy 108*55mm	 EM-118G zinc alloy 108*55mm	 EM-119S zinc alloy 100*54.45mm	 EM-119G zinc alloy 100*54.45mm	 EM-120S zinc alloy 115.1*55mm
 EM-120G zinc alloy 115.1*55mm	 EM-121S zinc alloy 114.7*60.9mm	 EM-121G zinc alloy 114.7*60.9mm	 EM-123RB zinc alloy 297*38mm	 EM-123B stainless steel 297*38mm
 EM-125S zinc alloy 105*48mm	 EM-125G zinc alloy 105*48mm	 EM-126S zinc alloy 118*52mm	 EM-126G zinc alloy 118*52mm	 EM-128G zinc alloy 150*37mm
 EM-128RG zinc alloy 150*37mm	 EM-129C zinc alloy 97*49mm	 EM-130G zinc alloy 204*62mm	 PH-S zinc alloy 101*51mm	 DRagon-G zinc alloy 101*51mm


RFID LOCKER LOCK

 EM-131RG zinc alloy 200*25mm	 EM-132C zinc alloy 44*44mm	 EM-133S zinc alloy 126*39mm	 EM-133G zinc alloy 126*39mm	 EM-135S zinc alloy 116*59mm
 EM-135RB zinc alloy 116*59mm	 EM-136G zinc alloy 114*58mm	 EM-136RB zinc alloy 114*58mm	 EM-138S zinc alloy 119*59mm	 EM-138G stainless steel 119*59mm
 EM-139S zinc alloy 124*53mm	 EM-139G zinc alloy 124*53mm	 EM-150G zinc alloy 220*41mm	 EM-150RB zinc alloy 220*41mm	 EMP-108S zinc alloy 104*50mm
 EMP-108G zinc alloy 104*50mm	 EMP-108B zinc alloy 104*50mm	 EMP-108RB zinc alloy 104*50mm	 EMP118-S zinc alloy 108*55mm	 EMP118-G zinc alloy 108*55mm

E-LOCKER LOCK



EMPF-118S



EMPF-118G

fingerprint+password+card
silver/gold for option
zinc alloy material
wood/steel locker available



E-CAM LOCK



113N



2 AAA battery powered
steel/wood locker available
132x24x27mm

zinc alloy material
external power



126



steel/wood locker available
92.5*37.3mm
steel/plastic for option



IP66 waterproof

With IP66 waterproof standard, the product can be protected from the water and dust.



Fingerprint Bag Lock



IP66 waterproof

With IP66 waterproof standard, the product can be protected from the water and dust.

FINGERPRINT PAD LOCK

Smart Fingerprint Padlock

Ready for the future world



Fingerprint Recognizer



USB charge



Water Resistant



2 Years

USB Charge

With USB charging port, you can charge the padlock with a USB cable. It is very convenient and easy to use.




Model No: YFFP-P3



USB Charge

3 hours full charge, power bank emergency unlock.

Model No: YFFP-L1




RFID LOCKER LOCK

 EMP-162 zinc alloy 105.6*59.6mm	 EMP-163 zinc alloy 179.8*75.9mm	 EMP-153S zinc alloy 125*55mm	 EMP-153C zinc alloy 125*55mm	 EMP-126G zinc alloy 118*52mm
 EMP-121S zinc alloy 114.7*60.9mm	 EMP-121G zinc alloy 114.7*60.9mm	 EMP-125G zinc alloy 105*48mm	 EMP-125RB zinc alloy 105*48mm	 EMP-126RB zinc alloy 118*52mm
 EMP-135S zinc alloy 116*59mm	 EMP-135G zinc alloy 116*59mm	 EMP-136G zinc alloy 114*58mm	 EMP-136RB zinc alloy 114*58mm	 EMP-138S zinc alloy 119*59mm
 EMP-138G zinc alloy 119*59mm	 EMP-139S zinc alloy 124*53mm	 EMP-139G zinc alloy 124*53mm	 EMP-150-G zinc alloy 220*41mm	 EMP-150-RB zinc alloy 220*41mm

E-LOCKER LOCK



EMPf-118S



EMPf-118G

fingerprint+password+card
silver/gold for option
zinc alloy material
wood/steel locker available



E-LOCKER LOCK



EMPf-161

Fingerprint+password+card
zinc alloy material
4AA battery power
support public mode&home mode
wood/steel locker available



5#

hidden locker lock
dual card&single card


RFID Digital Lock

6#

hidden locker lock



E-DRAWER LOCK



EMF-01

Fingerprint unlock

Support 360 degree fingerprint

Fingerprint capacity:20pcs

Suitable for: Triple drawer with drawbar

No need to change holes, replace gold one directly

Battery: built-in 220MAH lithium battery

Fingerprint reader: semiconductor

Read fingerprint to lock, read again to lock

Resolution:508DPI

FRR:1%

FAR:<0.002%

Recognition time:<300mS



GLASS DOOR LOCK



frameless glass door
framed glass door
no need make hole
wifi control function for option
wood door

GLASS DOOR LOCK



frameless glass door
framed glass door
no need make hole
wood door
sliding door&swing door
USB charge port
built-in doorbell



Easy install

YFG-F160



Dimension:183*68*39MM

Suitable door thickness:10mm-20mm

Material: Aluminum alloy

Working temperature:-25°C~65°C

Power: 4 AA battery

Unlock: fingerprint,password,card,remote

Storage capacity:1000pcs

Support Language: Chinese&English



GLASS DOOR LOCK



Dimension: 190mm * 78mm * 40mm

Suitable door thickness: 10mm-20mm

Material: Aluminum alloy

Working temperature: -25°C~65°C

Power: 4 AA battery

Unlock: fingerprint, password, card, APP, wifi

Voice Language: Chinese & English

APP: TLock, support more than 27 languages

frameless glass door

framed glass door

no need make hole



wood door

sliding door & swing door

USB charge port

built-in doorbell

Bluetooth unlock support



This Passcode MUST BE used at least once within 24 hours, after the Start Code and Time or it will be SUSPENDED for Security Reasons.

Settings



DIGITAL PLATE



*Installation: 86 mounting box embedded installation

*Back light color: red, blue, green for option

*Border: silver or gold

*Function: doorbell, no disturb, logo, room number, please wait, check-in, make up room for option

Accessories:



mechanical switch



touch screen switch



doorbell

Switch: installed indoor. Include no disturb, make up room function, mechanical or touch screen type for option.

Doorbell: installed indoor. Press doorbell on the plate which at outdoor, this bell will ring



86-no border
86*86mm



86-with border
86*86mm



round-160
diameter:160mm
border: silver or gold



oval-240
145*240mm
border:silver or gold



square-260-A
150*260*20mm
red bronze border



square-206-2
150*260*20mm
border: silver or gold



square-206-4
128*206mm
border: silver or gold



square-230
140*230mm
no border



square-305-2
110*300mm
border:silver/gold



square-300-4
110*300mm
border:silver/gold



square-380B
180*380*10mm
red bronze

DIGITAL PLATE



square-320A
140*320*10mm
red bronze color



square-380A
100*380*10mm
red bronze color



Content on plate can be designed by customer

Logo print available

Vertically and horizontal direction can be exchanged

Dimension can be customized

Touch screen switch
2/3/4 button for option



BLUETOOTH ACCESS CONTROL READER



Replace old reader directly

Support card+password+ APP unlock

Unlock record can be check on mobile

Offer SDK

Set valid time for code,e-key.card

ENERGY SAVER SWITCH



Power switch

insert card to switch:power on
take card off switch:power off

Features

Dimension:86*86*50mm

Working voltage:AC110V~240V. Or DC12V

Time delay: 8 seconds or customized

Material: import PC inflaming retarding

Max load current:340A

Available color: white,gold,black,silver

4 types of power switch:

- 1,only 125KHZ(low frequency card) available
- 2,only 13.56MHZ(high frequency card) available
- 3,any card can gain power, such as bank card,ID card
- 4,Room number identification: built-in intelligent CPU, only corresponding room card can gain power




MORTISE



1#S




3#



5#



2#S



Handle



1# stainless steel



3# stainless steel



5# stainless steel



100 zinc alloy



100 zinc alloy



606 handle



616 handle



629 handle



650 handle



676 handle



dovetail handle